



LIMIT Release Notes

Version LIMIT2017

Introduction

This document describes substantial changes compared to the release LIMIT_2016. Further information can be found in the following documents:

- ✨ [1] **LIMIT-Efficient-Weld-Assessment-Loops-Including-Model-Changes.pdf**
 - New workflows for weld assessments using shell models
- ✨ [2] **LIMIT-Weld-Library-&-SurfaceMarker.pdf**
 - Using and customizing the Setup library
- ✨ [3] **LIMIT-Automated-Report-Generator.pdf**
 - significantly improved Report Generator and picture generation
- ✨ [4] **LIMIT-Ansys-Interface.pdf**
 - Elements for ANSYS Classic added

Novelties 2017

✨ Interfaces

- ANSYS elements used in ANSYS Classic were added to interface (SOLID45, SOLID72, SOLID73, SOLID92, SOLID95), see [4]
- Top/Bottom stress output correction possible for ANSYS shells
- SWX interface was optimized for SWX2016 SP5 and newer
- Abaqus: 2017 (Version 6171)

✨ Weld Sets

- Generation of Part Sets from component sets in Nastran input decks, see [1]
- Color coding according to Part Sets supported
- Part sets can be used to generate Weld Sets, see [1]
- Automatic checks of Setups when importing meshes with minor changes, see [1]
- Regeneration of Weld Sets for strongly modified/remeshed models
 - based on property-IDs or
 - based on geometry, see [1]
- Generation of weld sets from selected weld lines

✨ Viewport options

- Select elements => to set or to part sets
- Select one element => Hide by same property, part set, SW-set, weld set

Novelties 2017

✨ Query

- Query window writes new information at the bottom of the page

✨ Sensors

- Improved Sensor Generation algorithm
- Improved deleting of Sensors
- Hide by SW-sets included
- Query options also for Sensors

✨ Setups

- Split Setup command improved
- Check of Setup status after importing new mesh in existing LDB
- Setup status can be color coded
- Results can be imported in Setup Manager and setups can be ordered according to results
- Weld setup library and surface marker available for all codes, see [2]

Novelties 2017

✦ Codes

- Temperature influence according to AD2000 added to FKM module
- New FKM result variable MAX_FAT_STA_DoU = max. from static and fatigue
- Damage calculation added to DVS1608
- Automatic detection of true weld ends vs. internal ends due to splitting. End-notch case only used for true ends!

✦ JobManager

- Filter for different Setup types was removed
- At run time a reduced database (.sdef) with all setup data is stored as part of the job

✦ Viewer

- Files needed to run new viewer
 - .geo ... Results
 - .sens ... if Sensors are used
 - .sdef ... reduced database with setup information
- Improved output for mixed codes in one run
- Setup Manager was implemented into Viewer presenting Setup information
- Results, weld symbols and model outline can be plotted in one picture
- Query options available for Sensors
- User defined load names are used in output, rather than internal numbers

Novelties 2017

✨ **Report Generator / Report**

- Improved and intuitive usage of Report Generator, see [3]
- A list of all Setups sorted in descending order by their respective degrees of utilization is now available in the LIMIT Report.
- The Group Parameters of Weld Setups printed in one table.
- Positions, notch cases and degree of utilization results are now presented in combined tables for static and fatigue strength in the LIMIT Report
- Links in the HTML page Created by the LIMIT Report Generator now work after importing the HTML page in Microsoft Word. New functions and easier to use
- Better visualization of results

Last slide